


# IOS App 上架流程


## 申請個人Apple Developer

### 1. 使用 Apple ID 登入 Apple Developer 。

在 Apple Developer 網站 <https://developer.apple.com/sign-in-with-apple/> 的右上角 Account 連結至登入畫面。登入後的畫面如下：



### 2. 按下 Enroll 註冊個人使用的開發者帳戶。



### 3. 填寫基本資料後，選擇註冊為個人使用帳戶。

**Confirm your personal information.**

Enter your legal name as shown on your government-issued ID and address.

First Name


Last Name

**Select your entity type.**

I develop apps as

4. 詳閱並同意註冊條款後，會進入訂單頁面，確認訂單後按下進入結帳頁面，完成結帳流程。

### Complete your purchase.



Once you complete your purchase, you'll receive a purchase acknowledgement and a membership confirmation email.

Membership Type  
Apple Developer Program

Enrollment ID  
Q4L4JF826A

Cost  
NT\$3400

Duration  
1 year

[Purchase](#)

5. 付款完成會收到確認信，此外還要等一段時間帳號才會完成申請。

### Account

chingyu yang ▾

Tools and resources   Email preferences   Agreements

① Purchase your membership.

To continue your enrollment, [complete your purchase now >](#)

Your purchase may take up to 48 hours to process.

6. 申請通過後，就會看到這個畫面。點選 identifiers

### Program resources

#### App Store Connect

Manage your app's builds, metadata, and more on the App Store.

- Apps
- Analytics
- Trends
- Reports
- Users and Access
- Agreements, Tax, and Banking

#### Certificates, IDs & Profiles

Manage the certificates, identifiers, profiles, and devices required to develop, test, and distribute apps.

- Certificates
- Identifiers**
- Devices
- Profiles
- Keys
- Services





#### Additional resources

Download beta software, and view and manage your usage of developer services.

- Software Downloads
- Feedback Assistant
- Xcode Cloud
- CloudKit
- MapKit JS
- WeatherKit

## 7. Register an App ID，這邊申請的 Bundle ID 要跟 要跟 Xcode 設定的 Bundle ID 是同一個。


Bundle Identifier 是應用在裝置上唯一標識的字串，通常採用反向域名的格式，例如："com.example.myapp"。每個 App 的 Bundle Identifier 都必須是唯一的，




# 專案打包和發布流程

## 1. 在General 頁面確認所有設定。


包含是否能在 iPad 使用，IOS 設備版本限制，deployment info 顯示設定....等。  
如果多次上傳需要改 build 的數字，每次+1。




## 2. 選擇開發者帳號，並設定 target，確認 Bundle ID 為前面申請的 Bundle ID。




### 3. 在 Product 點選 Archive 專案。




### 4. Archive 完成後會看到以下畫面，先不要進行 Distribute 。




### 5. 到 App Store Connect 新增要發布的 app 資訊。



6. 進入我的 App ，新增新的 App ，這邊的套件識別碼就是 Bundle ID ，將 SUK 設為 Bundle ID 後面加 .1 ，複製 SKU 備用。



7. 成功建立後，會看到創建好的頁面，類似左下方的圖。接著回到 Xcode ，Distribute App 。



8. 上傳打包好的 App ，參照下方網頁：  
<https://ithelp.ithome.com.tw/articles/10307848>
9. 申請上架送審 App ，參照下方網頁：  
<https://ithelp.ithome.com.tw/articles/10307881>